New in STaTa 18

Group sequential designs

Why wait until you finish collecting data to analyze the results of your clinical trial?

Stata's **gsbounds** and **gsdesign** commands calculate efficacy- and futility-stopping boundaries, compute sample sizes for interim and final analyses, graph the stopping boundaries for your trial, and more.

- Hypothesis tests
 - One-sample mean
 - Two-sample means
 - One-sample proportion
 - Two-sample proportions
 - Log-rank test of survivor functions
- Add your own methods
- · Automatic and customizable tables and graphs

- Stopping boundaries
 - Classical O'Brien-Fleming
 - Classical Pocock
 - Classical Wang-Tsiatis
 - Error-spending O'Brien-Fleming-style
 - Error-spending Pocock-style
 - Error-spending Kim-DeMets
 - Error-spending Hwang-Shih-de Cani

Stopping boundaries

gsbounds calculates efficacy and futility bounds based on the number of looks, the desired overall type I error, and the desired power.

For instance, calculate O'Brien-Fleming efficacy and futility bounds for a study with 5 looks, the default power of 0.9, and a type I error of 0.05.

. gsbounds, nlooks(5) efficacy(errobfleming)
futility(errobfleming)


```
Group sequential boundaries
Efficacy: Error-spending O'Brien-Fleming style Futility: Error-spending O'Brien-Fleming style, nonbinding
      alpha = 0.0500
power = 0.8000
                        (two-sided)
Info. ratio = 1.1618
Fixed-study crit. values = ±1.9600
Critical values and p-values for a group sequential design
                                                              Futility
                            Efficacy
 Look
         frac.
                    Lower
                               Upper
                                        p-value
                                                      Lower
                                                                 Upper
                                                                          p-value
          0.20
                  -4.8769
                              4.8769
                                         0.0000
                                                    -0.0130
                                                                0.0130
                                                                           0.9896
                                         0.0008
          0.40
                   -3.3570
                              3.3570
                                                    -0.2929
                                                                0.2929
                  -2.6803
                              2.6803
                                         0.0074
                                                    -0.9245
                                                                0.9245
                                                                           0.3552
          0.60
          0.80
                  -2.2898
                              2.2898
                                         0.0220
                                                    -1.5186
                                                                1.5186
                                                                           0.1289
          1.00
                  -2.0310
                              2.0310
                                         0.0423
                                                    -2.0310
                                                                2.0310
Note: Critical values are for z statistics; otherwise, use p-value
```

Sample-size determination

gsdesign computes efficacy and futility boundaries and provides sample sizes at each look for a variety of tests.

Compute the required number of events for each look, and graph the O'Brien-Fleming efficacy and futility bounds for the log-rank test comparing the survivor functions of two groups and assuming the hazard ratio (effect size) of 0.6.

. gsdesign logrank, hratio(0.6) nlooks(5)
efficacy(errobfleming) futility(errobfleming)
graphbounds




Add your own methods

In addition to **gsdesign**'s built-in methods, you can add your own methods to compute the required sample size such as when you use the **simulate** command to compute the sample size by simulation. All you need to do is write a program that computes sample size, and **gsdesign** will do the rest for you.


```
program power_cmd_mygsztest, rclass
   version 18
                        // parse options
    syntax, STDDiff(real)
                            /// standardized diff.
        [ Alpha(real 0.05) /// significance level
           Power(real 0.8) /// power
                             /// fractional sample size
           NFRACtional
        1
                        // compute sample size
   tempname N
    scalar `N' = ((invnormal(`power') + ///
                 invnormal(1 - alpha'/2))/ stddiff')^2
   }
                      // return results
= `N'
   return scalar N = N
return scalar alpha = `alpha'
return power = `power'
    return scalar stddiff = `stddiff'
```


. gsdesign mygsztest, stddiff(0.1) alpha(0.05)
power(0.9) nlooks(6) efficacy(obfleming)
futility(wtsiatis(0.25)) graphbounds




Perform analyses using point and click

You can perform your analyses interactively by typing the commands or by using a point-and-click GUI available via the PSS Control Panel.







. gsdesign twomeans 1 2, nlooks(6) graphbounds

