

## Description

This manual, called [D], documents Stata's data-management features.

Data management for statistical applications refers not only to classical data management—sorting, merging, appending, and the like—but also to data reorganization because the statistical routines you will use assume that the data are organized in a certain way. For example, statistical commands that analyze longitudinal data, such as `xtreg`, generally require that the data be in long rather than wide form, meaning that repeated values are recorded not as extra variables, but as extra observations.

Here are the basics everyone should know:

[D] <b>use</b>	Use Stata dataset
[D] <b>save</b>	Save datasets
[D] <b>describe</b>	Describe data in memory or in file
[D] <b>inspect</b>	Display simple summary of data's attributes
[D] <b>codebook</b>	Describe data contents
[D] <b>data types</b>	Quick reference for data types
[D] <b>missing values</b>	Quick reference for missing values
[D] <b>dates and times</b>	Date and time (%t) values and variables
[D] <b>list</b>	List values of variables
[D] <b>edit</b>	Browse or edit data with Data Editor
[D] <b>varmanage</b>	Manage variable labels, formats, and other properties
[D] <b>rename</b>	Rename variable
[D] <b>format</b>	Set variables' output format
[D] <b>label</b>	Manipulate labels

You will need to create and drop variables, and here is how:

[D] <b>generate</b>	Create or change contents of variable
[D] <b>functions</b>	Functions
[D] <b>egen</b>	Extensions to generate
[D] <b>drop</b>	Eliminate variables or observations
[D] <b>clear</b>	Clear memory

For inputting or importing data, see

[D] <b>use</b>	Use Stata dataset
[D] <b>sysuse</b>	Use shipped dataset
[D] <b>webuse</b>	Use dataset from Stata web site
[D] <b>input</b>	Enter data from keyboard
[D] <b>insheet</b>	Read ASCII (text) data created by a spreadsheet
[D] <b>infile</b>	Overview of reading data into Stata
[D] <b>infile (fixed format)</b>	Read ASCII (text) data in fixed format with a dictionary
[D] <b>infile (free format)</b>	Read unformatted ASCII (text) data
[D] <b>infix (fixed format)</b>	Read ASCII (text) data in fixed format
[D] <b>hexdump</b>	Display hexadecimal report on file
[D] <b>odbc</b>	Load, write, or view data from ODBC sources
[D] <b>xmlsave</b>	Save and use datasets in XML format
[D] <b>fdasave</b>	Save and use datasets in FDA (SAS XPORT) format
[D] <b>icd9</b>	ICD-9-CM diagnostic and procedure codes

and for exporting data, see

[D] <b>outfile</b>	Write ASCII-format dataset
[D] <b>outsheet</b>	Write spreadsheet-style dataset
[D] <b>fdasave</b>	Save and use datasets in FDA (SAS XPORT) format
[D] <b>odbc</b>	Load, write, or view data from ODBC sources

The ordering of variables and observations (sort order) can be important; see

[D] <b>order</b>	Reorder variables in dataset
[D] <b>sort</b>	Sort data
[D] <b>gsort</b>	Ascending and descending sort

To reorganize or combine data, see

[D] <b>merge</b>	Merge datasets
[D] <b>append</b>	Append datasets
[D] <b>reshape</b>	Convert data from wide to long form and vice versa
[D] <b>collapse</b>	Make dataset of summary statistics
[D] <b>fillin</b>	Rectangularize dataset
[D] <b>expand</b>	Duplicate observations
[D] <b>expandcl</b>	Duplicate clustered observations
[D] <b>stack</b>	Stack data
[D] <b>joinby</b>	Form all pairwise combinations within groups
[D] <b>xpose</b>	Interchange observations and variables
[D] <b>cross</b>	Form every pairwise combination of two datasets

In the above list, we particularly want to direct your attention to [D] **reshape**, a useful command that beginners often overlook.

For random sampling, see

[D] <b>sample</b>	Draw random sample
[D] <b>drawnorm</b>	Draw sample from multivariate normal distribution

For file manipulation, see

[D] <b>type</b>	Display contents of a file
[D] <b>erase</b>	Erase a disk file
[D] <b>copy</b>	Copy file from disk or URL
[D] <b>cd</b>	Change directory
[D] <b>dir</b>	Display filenames
[D] <b>mkdir</b>	Create directory
[D] <b>rmdir</b>	Remove directory
[D] <b>cf</b>	Compare two datasets
[D] <b>changeool</b>	Convert end-of-line characters of text file
[D] <b>filefilter</b>	Convert ASCII text or binary patterns in a file
[D] <b>checksum</b>	Calculate checksum of file

The entries above are important. The rest are useful when you need them:

[D] <b>datasignature</b>	Determine whether data have changed
[D] <b>type</b>	Display contents of a file
[D] <b>notes</b>	Place notes in data
[D] <b>label language</b>	Labels for variables and values in multiple languages
[D] <b>labelbook</b>	Label utilities
[D] <b>encode</b>	Encode string into numeric and vice versa
[D] <b>recode</b>	Recode categorical variable
[D] <b>ipolate</b>	Linearly interpolate (extrapolate) values
[D] <b>destring</b>	Convert string variables to numeric variables and vice versa
[D] <b>mvencode</b>	Change missing values to numeric values and vice versa
[D] <b>pctile</b>	Create variable containing percentiles
[D] <b>range</b>	Generate numerical range
[D] <b>by</b>	Repeat Stata command on subsets of the data
[D] <b>statsby</b>	Collect statistics for a command across a by list
[D] <b>compress</b>	Compress data in memory
[D] <b>zipfile</b>	Compress and uncompress files and directories in zip archive format
[D] <b>recast</b>	Change storage type of variable

---

[D] <b>assert</b>	Verify truth of claim
[D] <b>clonevar</b>	Clone existing variable
[D] <b>compare</b>	Compare two variables
[D] <b>contract</b>	Make dataset of frequencies and percentages
[D] <b>corr2data</b>	Create dataset with specified correlation structure
[D] <b>count</b>	Count observations satisfying specified conditions
[D] <b>duplicates</b>	Report, tag, or drop duplicate observations
[D] <b>isid</b>	Check for unique identifiers
[D] <b>lookfor</b>	Search for string in variable names and labels
[D] <b>memory</b>	Memory size considerations
[D] <b>obs</b>	Increase the number of observations in a dataset
[D] <b>separate</b>	Create separate variables
[D] <b>shell</b>	Temporarily invoke operating system
[D] <b>snapshot</b>	Save and restore data snapshots
[D] <b>split</b>	Split string variables into parts

There are some real jewels in the above, such as [D] **notes**, [D] **compress**, and [D] **assert**, which you will find particularly useful.

## Also see

- [D] **intro** — Introduction to data-management reference manual
- [R] **intro** — Introduction to base reference manual