

Subject index

This is the subject index for the *Getting Started with Stata for Unix* manual. Readers may also want to consult the combined subject index (and the combined author index) in the *Quick Reference and Index*. The combined index indexes the *Getting Started* manuals, the *User's Guide*, and all the reference manuals, except the *Mata Reference Manual*.

A

ado command, 35
arithmetic operators, see operators, arithmetic

B

batch mode, 136–137
Break, 86
 button, 27
browse command, 2, 6, 7, 59–60
button,
 Break, 27, 86
 Data Editor (Browse), 2, 26, 47
 Data Editor (Edit), 26, 47, 49
 Do, 98, see Execute (do)
 Do-file Editor, 26, 98
 Execute (do), 99, 102
 Execute Quietly (run), 98, 102
 Graph, 17, 26
 Graph Editor, 106
 Log, 24, 26, 111
 Open, 26
 Print, 26
 Reset, 20
 Run, see Execute Quietly (run)
 Save, 26
 Show File in Viewer, 103
 Variable Properties, 48
 Variables Manager, 26, 47
 Viewer, 26, 31
by() option, 14, 18
by prefix, 13, 15, 23
by/if/in tab, 7, 13, 15, 29

C

cd command, 30
clear command, 93
cmdlog command, 113
codebook command, 4–6, 38
command history, 27
command syntax, 23
Command window, 25, 27
commands,
 compared with menus, 23
 learning, 30, 117–119
comments, see log files, commenting

conren command, 140–143
contextual menu, 25
 Graph window, 106
 Review window, 27
 Variables window, 28
 Viewer, 34
copying,
 data, see data, copying
 graphs, see graphs, copying
 text, see text, copying
correlate command, 15
creating variables, see variables, creating

D

data,
 copying, 52, 65
 tips, 53
 entering, 48–53
 graphing, 16–22
 importing, see importing data
 labeling, 71
 listing, 77–86
 pasting, 52, 65
 sorting, 53
 strings, 50
Data Editor, 2–3, 47–60
 attach value labels, 54
 browse mode, 59–60
 toolbar button, 26
 cell navigation, 50
 color coding, 2, 50
 contextual menus, 48
 create value labels, 54
 creating variables, 55
 cursor location box, 49–50, 53
 date
 editing, 56–57
 formats, 57
 mask, 57
 edit mode toolbar button, 26
 edit within cell, 50
 empty columns, 50
 empty rows, 50
 enter data by column, 49
 enter data by row, 49
 entering data, 48–53
 filtering, 9, 58–59
 fonts, 115
 hiding variables, 58
 limiting exposure, 58–59
 movement, 48
 opening, 49
 right-clicking, 48
 snapshots, 55–56
 sorting, 48, 53

- Data Editor, *continued*
 - tips, 58, 70
 - toolbar, 47
 - Tools menu, 53–59
 - value labels, 54
 - when to browse, 58
 - data management, 2–8
 - data type, *see* variables, data type
 - dataset, 4
 - changing, 53–59
 - dirty, 45, 48
 - notes, 3, 28
 - opening, 45
 - saving, 45
 - saving in old format, 45
 - structure, 2, 3
 - dates, editing, *see* Data Editor, date editing
 - db command, 30
 - deleting variables, *see* variables, dropping
 - describe command, 3, 71–75
 - describe, short, 48
 - descriptive statistics, 8–16
 - dialogs, 28
 - accessing from Command window, 30
 - Cancel button, 29
 - Copy button, 30
 - Help button, 30
 - OK button, 29
 - Reset button, 30
 - saving commands, 103
 - Submit button, 30
 - Variables field, 5, 7
 - dictionary file, 69
 - directory, working, *see* working directory
 - display format, *see* variables, display format
 - displaying graphs, *see* graphs, schemes
 - Do,
 - button, *see* button, Do
 - menu item, 102
 - do-file, 98–101, 103, 113–114, 135
 - editing, *see* Do-file Editor
 - tips, 100
 - troubleshooting, 100–101
 - Do-file Editor, 97–103
 - balancing parentheses, 102
 - buttons, 97–98
 - changing case, 102
 - editing help files, 103
 - editing tools, 102
 - fonts, 115
 - getting Review window contents, 27
 - go to line, 102
 - inserting a file, 102
 - matching braces, 102
 - searching, 102
 - toolbar button, 26
 - Do-file Editor, *continued*
 - Tools menu, 102
 - Execute (do), 102
 - Execute (do) to Bottom, 103
 - Execute Quietly (run), 102
 - Show File in Viewer, 103
 - drop command, 93–94
 - dropping variables, *see* variables, dropping
 - dummy variable, *see* indicator variable
- ## E
- edit command, 59
 - editing data, *see* Data Editor
 - editing dates, *see* Data Editor, date editing
 - editing do-file, *see* Do-file Editor
 - environment variables, 137
 - equality, 12–13, 81
 - examples,
 - dialogs, 4, 5, 7, 8, 10, 11, 13–17, 19, 29, 30, 105
 - graphs, 16–22, 105, 107
 - help, 37–40
 - if qualifier, 6, 7, 12, 59, 79–82, 94–95
 - in qualifier, 83
 - menus, 1, 3–5, 7, 8, 10, 11, 13–17, 19, 29–105
 - varlist, 59, 77–79
 - exp, *see* expressions
 - expressions, 79, 87
- ## F
- fdause command, 65, 70
 - fitted values, *see* predict command
 - fonts,
 - changing in one graph, *see* Graph Editor
 - changing in windows, *see* preferences, font
 - preferences, *see* preferences, font
 - functions, 87
- ## G
- generate command, 18, 19, 21–22, 87–92
 - tips, 90
 - troubleshooting, 89
 - generating variables, *see* variables, creating
 - Graph Editor, 107–109
 - abilities, 108
 - closing, *see* Graph Editor, stopping
 - contextual toolbar, 107–108
 - experimentation, 108
 - Grid Edit tool, 108
 - Object Browser, 108
 - recording, 108
 - starting, 107
 - stopping, 108
 - tools, 108
 - Undo button, 108

graph setup, see graphs, schemes
 Graph window, 17, 106
 contextual menu, 106
 right-clicking, 106–107
 toolbar button, 26
 Graphical User Interface, see GUI
 graphs,
 copying, 106
 overlaid, 19–21
 printing, 21, 106
 renaming, 106
 right-clicking, 106
 saving, 106
 schemes, 115
 subgraphs, 17
 GUI, 25–43, 47–60, 65, 97–109, 115–116, 121–126,
 137

H

help command, 41
 help for *command*, 35
 help system, 37–43
 contents, 41
 FAQs, 37
 links, 38
 menu, 37
 search dialog, 38
 searching, 37–43, 123–124
 tips, 40
 hypothesis testing, 14

I

identifier variable, 5
 if qualifier, 6, 7, 12–13, 23, 77, 79–82, 88, 93
 examples, see examples, if qualifier
 troubleshooting, 81–82
 importing data, 65–70
 comma-delimited, 66
 copying and pasting, 65, 67, 70
 fixed format data, 69–70
 spreadsheet, 53, 66, 70
 tab-delimited, 66
 tips, 70
 unformatted data, 68, 70
 in qualifier, 23, 77, 83, 93
 examples, see examples, in qualifier
 indicator variable, 6, 18, 90
 generating, 88
 infile command, 65, 68–70
 variable names, 68
 infix command, 65, 70
 insheet command, 65–67
 Internet, 121–126
 installing programs, see programs, downloading and
 installing

Internet, *continued*
 resources, 117, 119, 120
 searching, 123–124
 using remote files, 121

K

keep command, 93, 95

L

label command, 73
 label data command, 73
 label define command, 73, 75
 label values command, 73, 75
 label variable command, 21, 73
 labels,
 data, 3, 73–74
 value, 3–5, 10, 13, 73, 75
 confusing with string variable, 82
 why needed, 6
 variable, 4, 5, 73–74
 line command, see twoway line command
 linear regression, see regression, linear
 list command, 7, 67, 77–86
 listing data, see data, listing
 loading data, see dataset, opening
 Log button, 26
 log command, 111–113
 log files, 24, 111–114
 appending, 111
 commenting, 112
 contents, 112
 keeping just commands, 113
 multiple open at once, 112
 overwriting, 111
 plain text, 111, 113
 printing, 113
 rerunning commands, 113–114
 SMCL, 111, 113
 starting, 111
 tips, 113
 translating formats, 111, 113
 types, 113
 viewing, 113
 logical expression, 79–81
 logical operators, see operators, logical

M

median, 9
 memory, 6, 45, 72, 131–133
 allocation, 131–132, 136
 virtual memory, 133
 memory command, 132
 menus, 28
 compared with commands, 23

menus, *continued*
 examples, see examples, menus
missing() function, 7, 59, 80
missing values, 3, 4, 7, 11, 49, 50, 53, 68, 79–80, 87–
 88, 92
 extended, 54

N

net command, 35
NetCourses, 117
notes,
 managing, 62–63
 timestamps, 63
numlist, 83

O

observations, 2
ODBC, 70
odbc command, 65, 70
omniscience,
 fleeting, 111
one-way table, see table, one-way
open, 47
Open toolbar button, 26
opening a dataset, see dataset, opening
operators,
 arithmetic, 87
 logical, 79, 81, 87
 relational, 79, 87
 string, 92
options, 8, 23, 39, 77, 83
output, printing and saving, see log files

P

pasting,
 data, see data, pasting
 graphs, see graphs, copy and paste
 text, see text, pasting
PATH, 137
PDF documentation, 37, 39, 42
physics, 21
poisson command, 29
postestimation commands, 19
precision, 72
predict command, 19
preferences, 115–116
 Clipboard, 115
 font, 115–116
 Graph window, 115
 loading, 116
 managing, 116
 saving, 116
 window, 115–116
prefix command, 13, 23

printing, 26
 contents of Viewer, 34
 graphs, 106
 output, 113
 toolbar button, 26
profile.do, 135
programs,
 downloading and installing, 123–125
 uninstalling, 125

R

recording sessions, see log files
reference manuals, 42
regress command, 19, 22
regression,
 linear, 18–23, 101
 Poisson, 29
relational operators, see operators, relational
replace command, 87–90
Results window, 1, 17, 25
 color scheme, 115
 fonts, 115
Review window, 2, 25, 27
 contextual menu, 27
 reusing commands, 27, 55
 right-click, 27, 114
 saving contents, 27
 sending contents to Do-file Editor, 27
 tip, 114
Run button, see button, Run

S

sample session, 1–24
SAS, 70
save command, 30, 45–46
Save toolbar button, 26
saveold command, 45
saving data, see dataset, saving
saving output, see log files
scatter command, see twoway scatter command
search command, 35, 41
searching help system, see help system, searching
Show File in Viewer button, see button, Show File in
 Viewer
SMCL, 33, 98, 103, 111
Stata,
 batch mode, 136–137, 144–145
 bookstore, 117
 command line options, 144
 console, 1, 121, 140–143
 datasets available, 117, 121
 executing commands at startup, 135
 FAQs, 117
 learning more, 117–120
 NetCourses, 117

Stata, *continued*
 output, 1
 public training courses, 118
 reading list, 118–119
 starting, 144
 starting remotely, 137
 startup options, 136
 Statalist, 117
 troubleshooting, see troubleshooting
 updating, see updates
 user interface, see GUI
 working directory, see working directory
 stata command, 144
 Stata Journal, 37–38, 42–43, 117, 120, 121
 Stata Markup and Control Language, see SMCL
 Stata News, 119
 Stata Press, 119
 Stata starts with an error, see troubleshooting
 Stata Technical Bulletin, 37–38, 42–43, 121
 Stata won't start, see troubleshooting
 stata-mp command, 144
 stata-se command, 144
 Stata(GUI), see GUI
 STB, see Stata Technical Bulletin
 storage type, see variables, data type
 string variable, see variables, string
 strings, 91–92
 quoting, 82
 strpos() function, 92
 substr() function, 92
 summarize command, 4, 8, 12–13, 23
 syntax, 39, 77–84
 abbreviations, 77
 diagram, 23
 list command, 77
 syntax note, 2, 5, 7–15, 17–18, 23
 sysprofile.do, 135
 sysuse command, 1

T

table,
 one-way, 10–11, 13–14
 two-way, 11–12
 tabulate command, 10–14
 text,
 copying, 97
 pasting, 97
 text variables, see variables, string
 toolbar, main, 26–27
 tooltip, 26
 troubleshooting, 127–129
 installation, 129
 updates, see updates, troubleshooting
 X windows, 128
 ttest command, 14
 twoway line command, 21

twoway scatter command, 16–18, 21
 two-way table, see table, two-way
 type command, 35

U

update command, 35
 updates, 35, 122–123
 troubleshooting, 123
 use command, 45
 User's Guide, 117

V

value labels, creating and managing, 54
 Variable Properties windows, 51
 variables, 2
 allowable names, 51
 creating, 55, 87–92
 data type, 4–6, 72, 88
 display format, 4, 28, 72
 dropping, 28, 62, 93–94
 formatting, 51
 generating, see variables, creating
 keeping, 62
 label, 28
 missing values, see missing values
 name, 4, 72
 abbreviating, 67, 77–79
 auto-completion, 27
 naming, 51
 notes, 28
 renaming, 28, 51
 storage type, see variables, data type
 string, 4, 5, 91–92
 confusing with value labels, 82
 text, see variables, string
 Variables Manager, 61–63
 contextual menus, 62
 creating *varlists*, 62
 dropping variables, 62
 filtering variables, 61
 keeping variables, 62
 notes, 62–63
 properties pane, 62
 restore sort order, 61
 right-clicking, 62
 toolbar button, 26
 Variable pane, 61–62
 variable properties pane, 62
 Variables window, 2, 19, 25, 28
 clicking, 28
 contextual menu, 28
 using, 5
 varlist, 5, 23, 77, 93
 examples, see examples, *varlist*
 view command, 35

Viewer, 31–36
 buttons, 32
 calling from Command window, 35
 color scheme, 115
 commands, 35
 contextual menu, 34
 Find bar, 32–33
 fonts, 115
 links
 clicking, 33
 middle-clicking, 33
 Shift+clicking, 33
 log files, 113
 navigating, 34
 new window, 33
 opening, 31
 preferences, 34
 printing, 34
 printing log files, 113
 right-clicking, 34
 selecting one Viewer, 33
 toolbar button, 26, 31
 viewing current log, 33
 viewing logs, 33
 viewing remote files, 34
 viewing text files, 33

W

windows, 25–26
 closing, 116
 opening, 116
 revealing, 25
working directory, 30

X

X Windows, 17, 137
XML, 70
`xmluse` command, 65, 70
`xstata` command, 144
`xstata-mp` command, 144
`xstata-se` command, 144