

**export** — Overview of exporting data from Stata[Description](#)[Remarks and examples](#)[Also see](#)

## Description

This entry provides a quick reference for determining which method to use for exporting Stata data from memory to other formats.

## Remarks and examples

stata.com

Remarks are presented under the following headings:

*Summary of the different methods*

*[export excel](#)*

*[export delimited](#)*

*[odbc](#)*

*[outfile](#)*

*[export sasxport](#)*

*[export dbase](#)*

## Summary of the different methods

### **export excel**

- `export excel` creates Microsoft Excel worksheets in `.xls` and `.xlsx` files.
- Entire worksheets can be exported, or custom cell ranges can be overwritten.
- See [\[D\] import excel](#).

### **export delimited**

- `export delimited` creates comma-separated or tab-delimited files that many other programs can read.
- A custom delimiter may also be specified.
- The first line of the file can optionally contain the names of the variables.
- See [\[D\] import delimited](#).

### **odbc**

- ODBC, an acronym for Open DataBase Connectivity, is a standard for exchanging data between programs. Stata supports the ODBC standard for exporting data via the `odbc` command and can write to any ODBC data source on your computer.
- See [\[D\] odbc](#).

### **outfile**

- `outfile` creates text-format datasets.
- The data can be written in space-separated or comma-separated format.
- Alternatively, the data can be written in fixed-column format.
- See [D] [outfile](#).

### **export sasxport**

- `export sasxport` saves SAS XPORT Transport format files.
- `export sasxport` can also write value label information to a `formats.xpf` XPORT file.
- See [D] [import sasxport](#).

### **export dbase**

- `export dbase` saves version IV dBase (`.dbf`) files.
- See [D] [import dbase](#).

## **Also see**

[D] [import](#) — Overview of importing data into Stata

[D] [odbc](#) — Load, write, or view data from ODBC sources

[D] [outfile](#) — Export dataset in text format

[M-5] [\\_docx\\*\(\)](#) — Generate Office Open XML (`.docx`) file

[M-5] [xl\(\)](#) — Excel file I/O class

[P] [dyndoc](#) — Convert dynamic Markdown document to an HTML file

[P] [putdocx](#) — Generate Office Open XML (`.docx`) file

[P] [putexcel](#) — Export results to an Excel file

[P] [putpdf](#) — Create a PDF file