Survey Data Analysis in Stata 10: Accessible and Comprehensive

Christine Wells Statistical Consulting Group Academic Technology Services University of California, Los Angeles

Thursday, October 25, 2007

イロト 不同下 イヨト イヨト

1/14

Table of contents

Part 1: Who, when and what

Part 2: Accessible

Part 3: Putting it together

・ロ ・ < 部 ・ < 言 ・ < 言 ・ 言 ・ う へ で
2/14
</p>

Survey Data Analysis Programs

- Stata
- SUDAAN
- WesVar
- SAS
- SPSS
- Others, including R, AM, IVEware, Mplus, etc.

A Timeline - the '70s and '80s

1970: RTI develops a general proc called stderr
1976: RTI develops 4 routines as SAS procs
Mid 1980s: RTI SAS procs become SUDAAN
1985: Westat develops proc wesvar, wesreg and weslog for the mainframe

A Timeline - the '90s

1991: SUDAAN 5

- 1992: Stata 3: pweights introduced
- 1996: SUDAAN 7: survival, multilog, catan and hyptest
- **1996**: WesVarPC: multidimensional tables, create replicate weights, medians and quantiles
- **1996**: Stata 5: introduces 10 survey commands including mean, total, reg and logit
- **1997**: WesVarPC 2.1
- 1998: WesVar 3
- **1999**: Stata 6: adds 7 more survey commands, including tab, olog, mlog, pois, ivreg
- 1999: SAS 8: select, means, reg

A Timeline - 2000 to present

- **2000**: WesVar 4.0: use mi data sets, multinomial logistic, standardized reg coeffs
- 2001: SUDAAN 8: replicate weights, loglink (poisson)
- 2003: Stata 8: data must be svyset, 4 new commands
- 2003: SPSS 12: select, plan, descript, tab
- 2003: SAS 9.1: freq, logistic
- 2004: SPSS 14: glm, logistic
- **2004**: SUDAAN 9: replicate weights for survival, use mi data sets, kapmeier
- 2005: Stata 9: changes svyset command, adds more features to svyset
- 2006: SPSS 15: ordinal
- 2007: Stata 10: adds 27 more svy: procedures, including survival (total of 48)
- 2007: WesVar 5.1: descriptive stats
- 2007: SPSS 16: cox

Definitions

Sampling plan or design - departure from SRS

- Sampling plan or design departure from SRS
- Survey procedures (e.g., svy: tabulate, svy: regress, svy: logistic, etc.)

- Sampling plan or design departure from SRS
- Survey procedures (e.g., svy: tabulate, svy: regress, svy: logistic, etc.)
- Elements of the sampling design

- Sampling plan or design departure from SRS
- Survey procedures (e.g., svy: tabulate, svy: regress, svy: logistic, etc.)
- Elements of the sampling design
 - Sampling or probability weights (AKA pweights)

- Sampling plan or design departure from SRS
- Survey procedures (e.g., svy: tabulate, svy: regress, svy: logistic, etc.)
- Elements of the sampling design
 - Sampling or probability weights (AKA pweights)
 - Stratification (and post-stratification)

- Sampling plan or design departure from SRS
- Survey procedures (e.g., svy: tabulate, svy: regress, svy: logistic, etc.)
- Elements of the sampling design
 - Sampling or probability weights (AKA pweights)
 - Stratification (and post-stratification)
 - Primary sampling units (PSUs and maybe SSUs, TSUs, etc.)

- Sampling plan or design departure from SRS
- Survey procedures (e.g., svy: tabulate, svy: regress, svy: logistic, etc.)
- Elements of the sampling design
 - Sampling or probability weights (AKA pweights)
 - Stratification (and post-stratification)
 - Primary sampling units (PSUs and maybe SSUs, TSUs, etc.)
 - Replicate weights (jackknife and BRR)

Comparison of packages

Features of sampling plans accommodated by the various packages

Sampling design feature	Stata	SUDAAN	WesVar	SAS	SPSS
probability weight	\checkmark				\checkmark
stratification	\checkmark		\checkmark		
PSUs	\checkmark				\checkmark
levels of sampling	multi	two	one	one	three
post-stratification			\checkmark		
replicate weights					
subpop for all procs			\checkmark		

Comparison of packages

Procedures available in current version of packages

Procedure	Stata 10	SUDAAN 9	WesVar 5.1	SAS 9.1	SPSS 16
frequencies and crosstabs	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
3-way crosstabs		\checkmark	\checkmark		\checkmark
means, totals and ratios	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
medians and quantiles	-	V V	, v		-
correlations	*		\checkmark		
OLS regression/GLM		\checkmark	V	\checkmark	\checkmark
logistic		V V	, v		
ordered logit					
multinomial logit					-
survival (Cox regression)	\checkmark				\checkmark
select sample	\checkmark			\checkmark	\checkmark
create replicate weights	*				
handle mi data sets	*	\checkmark	\checkmark	\checkmark	

* user-written .ado available

Three things that make Stata's survey offerings comprehensive

- sampling plans (Stata 9)
- procedures (Stata 10, especially survival analysis)
- computational options (e.g., standard errors and singleton PSUs)

Commonly requested by clients

- 3-way tabulations (over option for svy: tabulate?)
- correlation
- median / quantiles

Commonly requested by clients

- 3-way tabulations (over option for svy: tabulate?)
- correlation
- median / quantiles
- create replicate weights (may become more important as more researchers make their data sets available on the web)

Commonly requested by clients

- 3-way tabulations (over option for svy: tabulate?)
- correlation
- median / quantiles
- create replicate weights (may become more important as more researchers make their data sets available on the web)
- create multiply imputed data sets (many requests from clients for this)

Accessibility

svyset

svyset my_psu [pweight=final_pw], strat(strat_var)

Accessibility

svyset

svyset my_psu [pweight=final_pw], strat(strat_var)
svy: prefix - don't have to learn new procedures
regress write read math female
svy: regress write read math female

Accessibility

svyset

```
svyset my_psu [pweight=final_pw], strat(strat_var)
```

- svy: prefix don't have to learn new procedures regress write read math female
 - svy: regress write read math female
- svy: procedures now in reference manuals

Accessibility

svyset

```
svyset my_psu [pweight=final_pw], strat(strat_var)
```

- svy: prefix don't have to learn new procedures regress write read math female svy: regress write read math female
- svy: procedures now in reference manuals
- good documentation with helpful examples

Accessibility

svyset

```
svyset my_psu [pweight=final_pw], strat(strat_var)
```

- svy: prefix don't have to learn new procedures regress write read math female svy: regress write read math female
- svy: procedures now in reference manuals
- good documentation with helpful examples
- cross platform

Commonly needed by clients

Stata NetCourse (or 2)

<ロ><回><日><日><日><日><日><日><日><日><日><日><日><日><日</td>13/14

Commonly needed by clients

- Stata NetCourse (or 2)
- User-written books:
 - applied
 - syntax
 - both basic and advanced examples
 - details regarding when to use certain options and why

The consequences

raise the standard - we have been seeing this trend in many areas of statistics

The consequences

- raise the standard we have been seeing this trend in many areas of statistics
- survey designers can use more not-so-standard designs, knowing that easy-to-use software is readily available that will handle the sampling design correctly

The consequences

- raise the standard we have been seeing this trend in many areas of statistics
- survey designers can use more not-so-standard designs, knowing that easy-to-use software is readily available that will handle the sampling design correctly
- increasing interest from researchers to "do things right", continued desire for even more procedures and options

The consequences

- raise the standard we have been seeing this trend in many areas of statistics
- survey designers can use more not-so-standard designs, knowing that easy-to-use software is readily available that will handle the sampling design correctly
- increasing interest from researchers to "do things right", continued desire for even more procedures and options
- many clients simply expect that they can do anything with survey data that they can do with data collected via SRS